



**STIHL**

For further information and advice visit:

# 2024 BATTERY AND ELECTRIC CATALOGUE

---

# COMMITTED TO TRADITION

For us a family business now in its third generation, long-range thinking is a tradition. It is the prerequisite for creating something substantial and valuable - in short: quality - and passing it on to the next generation. It is also fundamental in providing you, our customer, tangible improvements through innovation and technical leadership with every new development that targets superior performance and user-friendliness.

This tradition is at the heart of every single one of our products. Everything is designed so that a STIHL product can become an heirloom: the raw materials, the technical construction, the design, and the production. Another prerequisite, and the one of paramount importance to us, is the long-term serviceability of our products. Through long-term spare parts reliability, we enable STIHL Dealers to restore our products to the top condition that you, our customer, require to master your tasks.

For us, this is "STIHL quality." It is sustainability in the best sense. Because durable, repairable products conserve our resources in the best possible way. And this is becoming increasingly important - for you as a customer and for us as a company.

In this sense, quality, innovation and sustainability go hand in hand and have been a tradition of the Stihl family for nearly 100 years.

## Your Stihl family

Selina Stihl  
Stellv. Beiratsvorsitzende -  
Deputy Chair of the  
Advisory Board

Karen Tebar  
Stellv. Beiratsvorsitzende -  
Deputy Chair of the  
Advisory Board

Dr. Nikolas Stihl  
Beiratsvorsitzender -  
Chair of the  
Advisory Board

# 2024 WARRANTY POLICY

STIHL's Limited Warranty applies only to the **original owner** of the unit and is non-transferable. The following respective warranty periods apply to STIHL products:

|   | HOMEOWNER WARRANTY | PROFESSIONAL WARRANTY |
|---|--------------------|-----------------------|
| <b>LITHIUM-ION BATTERY TOOLS</b>  |                    |                       |
| AS SYSTEM   | 5 YEAR             | 3 YEAR                |
| AI LINE   | 5 YEAR             | NOT APPLICABLE        |
| AK SYSTEM   | 5 YEAR             | 3 YEAR                |
| AP/AR SYSTEM  | 5 YEAR             | 3 YEAR                |
| <small>All top-handle MSA chain saws and all TSA models are not eligible for the homeowner warranty</small> |                    |                       |
| <b>ELECTRIC POWERED TOOLS</b>   | 2 YEAR             | 1 YEAR                |
| <b>KM ATTACHMENTS</b> <small>(with bill of sale)</small>  | 2 YEAR             | 1 YEAR                |

## GENERAL NOTICE

1. This catalogue is valid as of January 1, 2024.
2. This catalogue renders all previous catalogues invalid.
3. No claims can be made based on the specifications and images in this catalogue. The design, technology, colours and features are subject to change without prior notice.
4. The brief descriptions and recommended uses of the various products provide a quick overview of the complete range, while the technical specifications help to find the machine that meets your needs.
5. Although the STIHL range shown in this catalogue is in line with the market requirements for Canada, STIHL Limited is not responsible for any model or product specifications that might change throughout the year. Some products may not be exactly as shown in the photos.
6. This catalogue and all its contents are copyright protected. All rights are reserved, particularly alteration, translation and reproduction with electronic systems.

This catalogue contains numerous combinations of tools and accessories designed for different applications and different kinds of users. For normal applications, we endorse the use of STIHL recommended combinations. These can be found in your operator's manual. STIHL Dealers can provide you with individual advice regarding the best combination to suit your needs.

STIHL products are regularly tested by German and international institutions. STIHL participates in these tests and inspections because they are considered to be the logical continuation of STIHL's own test programs and because STIHL attaches great importance to the findings of these independent institutions - particularly in the interests of STIHL customers. These institutions award test marks confirming the high quality and exemplary safety standards of STIHL products.

**For more details, visit [www.stihl.ca](http://www.stihl.ca)**

# CONTENTS



## INTRODUCTION

### 1 **ZERO-TURN LAWN MOWERS**

FROM PAGE 6

### 2 **LITHIUM-ION BATTERY TOOLS**

FROM PAGE 10

### 3 **ELECTRIC TOOLS**

FROM PAGE 46

### 4 **iMOW® ROBOTIC MOWERS**

FROM PAGE 56



# ZERO IN ON STIHL

8" ZERO-TURN BATTERY  
LAWN MOWERS

# ZERO-TURN BATTERY LAWN MOWERS

Our battery-powered Zero-Turn lawn mowers are designed to deliver efficient operation, smooth cuts, durable components, and a comfortable ride, STIHL Zero-Turn mowers give professionals the best of all worlds.



## RZA 748 / 752 / 760

- Battery zero-turn mowers for all-day commercial use.
- Built-in lithium-ion phosphate battery with 24 kWh of power.
- With up to 8 hours of run time, the battery-power zero-turn mowers can cover up to 21 acres when fully charged.
- Premium suspension seat with adjustable backrest, adjustable armrests, and adjustable lumbar support.

| SPECIFICATIONS    |                               |
|-------------------|-------------------------------|
| MOWER DECK        | 48", 52" & 60"                |
| CUTTING HEIGHT    | 1.5-4.5"/2-6 CM               |
| ENGINE            | BRIGGS & STRATTON® PXI SERIES |
| HORSEPOWER        | 65 HP                         |
| DISPLACEMENT      | 724 CC                        |
| MAX FORWARD SPEED | 25 KM/H                       |
| BATTERY RUN TIME  | UP TO 8HRS/3 HRS Ⓢ            |

Ⓢ CHARGE TIME WITH STIHL'S ZERO-TURN FAST CHARGER.

## RIDE IN COMFORT

PREMIUM SUSPENSION SEAT



## FOOT-OPERATED CUTTING HEIGHT ADJUSTMENT

EASILY RAISE AND LOWER THE MOWER DECK



## HIGH VISIBILITY TOUCHSCREEN DISPLAY

EASILY ADJUST SETTINGS AND VIEW OPERATING DATA



## USB-A AND USB-C PORTS

CHARGE MOBILE DEVICES IN AN ENCLOSED STORAGE COMPARTMENT



## CONSTANT BLADE SPEED

CONSISTENT BLADE SPEED  
OPTIMIZES CUT QUALITY

# BATTERY POWER. MADE BY STIHL.

---

12" LITHIUM-ION BATTERY  
TOOLS INTRODUCTION

14" AS SYSTEM

18" AI LINE

20" AK SYSTEM

26" AP SYSTEM

36" AR BACKBACK SYSTEM

38" KOMBITOOLS

40" PRO BATTERY ACCESSORIES

44" BATTERIES AND CHARGERS

# BATTERY POWER. MADE BY STIHL.

## WHY BUY STIHL BATTERY TOOLS?

### REAL POWER

All STIHL battery tools are driven by powerful lithium-ion cells built to our strict standards. STIHL's world class engineering combines these cells with proprietary intelligence to maximize power across our wide range of tools.

### TRUE PERFORMANCE

STIHL's Battery Management System (BMS) ensures ultimate performance is delivered based on your task. Cells are constantly monitored to ensure amperage and voltage are managed to maintain peak watts. Logic is communicated between a battery and the tool it is powering, allowing a tailored release of energy to get the job done.

### ULTIMATE DURABILITY

STIHL batteries are engineered with safety and durability in mind. Our engineering includes technology to protect from damage due to deep discharging and/or overheating that could be caused during operation or charging. An investment in a STIHL battery system will provide years of reliability, and our dedication to providing maintenance and repair parts ensures a minimal impact to the environment.

### VOLTS ONLY TELL HALF THE STORY

STIHL lithium-ion batteries feature advanced construction and innovative engineering to maximize runtime (watt-hours). Simply put, more watt hours mean longer runtimes, allowing you to finish more work on a single charge.



### AS SYSTEM COMPACT TOOLS

The innovative AS Battery Hand Tool System combines capability, convenience and comfort. Perfect for precision gardening and landscaping tasks, these tools are designed to be versatile, compact, lightweight, and easy to use.



### AI LINE FOR SMALL YARD JOBS

Ideally suited for quick tasks around smaller yards and condominiums, the AI Line of battery-powered tools gives users the easy, all-in-one convenience that they prefer when tackling small projects.




### AK SYSTEM FOR DEMANDING HOMEOWNERS

As a homeowner, there is always another landscaping task or project just around the corner. The STIHL AK System has a tool for just about everything your outdoor space can throw at you. From mowers and blowers to trimmers and chainsaws, take on your yard with relentless power and clean, quiet performance.



### AP SYSTEM FOR PROFESSIONAL APPLICATIONS

Professional jobs demand tools that are built to withstand the work, day in and day out. The STIHL AP System of battery-powered tools are designed to take on hefty tasks with the performance professionals expect.



# AS SYSTEM

STIHL AS System tools are small, easy-to-handle and make the actual work a bit more fun. Despite their compact size, the HSA 26, SEA 20 and the GTA 26 are surprisingly powerful. The ingenious design and the general advantages of a small battery powered tool make everything run smoother, faster and easier.

**Battery Power. Made by STIHL.**



## HSA 26

11 V • 4.7" • 7.9" • 1.6 lb ②

ASIII

Avid gardeners and nurseries will reap the benefits of the HSA 26 battery shrub shears. Powered by a 10.8 V rechargeable battery, it provides enough energy to run 110 minutes. Equipped with a shrub cutter to trim and maintain small evergreen hedges and ornamental trees, as well as a grass trimmer for cutting grass around the garden and patio edges. The HSA 26 can be safely stored and transported in the carrying bag that is supplied.

## HSA 26 TELESCOPIC SHAFT

Telescopic shaft designed for use with the HSA 26 for comfortably trimming lawn edges and hedges in an upright position. Extendable from 95cm-110cm.

HA03 710 7100



## SEA 20

11 V • 0.75 l • 2.4 lb ②

ASIII

The SEA 20 is a cordless hand vacuum used for cleaning smaller dry areas in the garage, workshop or car. This unit features a removable collection container for easy emptying and cleaning as well as a crevice and universal nozzle with a removable bristle attachment for a range of applications.

② WEIGHT WITHOUT BATTERY.



## GTA 26

11 V • 3.9" • 2.6 lb ②

ASIII

Don't be fooled by its compactness. Whether pruning trees and shrubs, reducing plant cuttings to small pieces or timber based construction, the GTA 26 offers impressive high cutting performance, quiet operation, excellent ergonomics and a long battery life - thanks to the 10.8 V AS 2 replacement battery.



## GTA 26 HOLSTER

The GTA 26 Holster is the ideal companion to STIHL's popular GTA 26 Pruning Saw. With an adjustable leg strap, reinforced back panel and buttoned fastener strap, the holster keeps the GTA 26 securely fastened and conveniently accessible when needed.

GA01 490 1700

NEW

## GTA 26 EXTENSION SHAFT

Extends reach by 150 cm, ergonomic handle arrangement and stable guidance of the GTA 26.

GA01 820 5002





**NEW**  
**HSA 30**

11 V • 18" • 4.5 lb ⓘ

**ASIII**

Ultralight, ergonomic battery-powered hedge trimmer with excellent cutting performance, for trimming shrubs and hedges in small yards. Equipped with double-sided, laser-cut, diamond-ground blades, with integrated cut protection.



**NEW**  
**HSA 40**

11 V • 20" • 4.6 lb ⓘ

**ASIII**


Built with a compact, lightweight design, the HSA 40 is the ideal tool for small yards. The laser-cut, diamond-group double-sided blades offer optimal maneuverability and clean cuts.

**NEW**  
**FSA 30**

11 V • 0.13 kW • 4.6 lb ⓘ

**ASIII**

The FSA 30 is the first 2-in-1 trimmer and edger in the flexible battery-powered AS System. It offers users full ergonomic adjust-ability of the handlebar, the shaft length, and the mowing head angle.



# AI LINE

STIHL AI lithium-ion battery tools will give you precisely the performance you need for keeping your favourite place looking its best. The batteries ensure fast, straightforward handling and provide the right amount of power, making small, spur-of-the-moment jobs around your yard even easier to complete.

**Battery Power. Made by STIHL.**



## BGA 45

18 V • 235 cfm • 60db(A) • 98 mph • 4.5 lb ③



The BGA 45 is a lightweight battery blower great for cleaning small outdoor areas. This unit comes with a round nozzle and an integrated 18 V lithium-ion battery with charge level indicator.



## HSA 45

18 V • 20" • 5.1 lb ③



The lightweight HSA 45 battery hedge trimmer has great cutting performance for trimming shrubs and bushes in the yard. This model comes with a double-sided cutter blade, screw-on tip protector and an integrated 18 V lithium-ion battery with charge level indicator.



## FSA 45

18 V • 0.13 kW • 5.1 lb ③



The FSA 45 compact battery trimmer is perfect for simple trimming work around the home and yard. This unit comes with an integrated 18 V lithium-ion battery with charge level indicator and the extendable shaft suits taller and shorter operators and can be swiveled to function as an edger.

③ INTEGRATED BATTERY.



# AK SYSTEM

Your yard is your own very personal project, and the tools you use here need to meet high demands. They need plenty of power, while also being easy-to-use. The STIHL lithium-ion battery tools with AK replacement batteries offer you precisely this combination. With a flexible range of tools – all offering the usual STIHL quality – you will be ready for any challenge.

**Battery Power. Made by STIHL.**



## RMA 460

19" • 55.1 lb ②

The RMA 460 battery-powered lawn mower has a 19" cutting deck and three mowing options including mulch, side discharge and rear bag. The RMA 460 can be powered with the AK 20 or AK 30 battery. This unit features an ECO mode to conserve power and has an extra storage slot for a spare battery.

**AK III**



## RMA 460 V

19" • 61.8 lb ②

Part of the AK battery series, the RMA 460 self-propelled lawn mower comes with all the same features as the walk behind version of the RMA 460 but includes a variable speed transmission.

**AK III**

② WEIGHT WITH BAG, WITHOUT SIDE DISCHARGE CHUTE, AND BATTERY.  
③ DRY WEIGHT, WITHOUT BATTERY.



## BGA 57

36 V • 365 cfm • 123 mph • 5.1 lb ③

The BGA 57 is an ergonomically balanced, lightweight battery blower designed to complete projects with comfort and ease. This unit comes with a round nozzle, soft handle and an adjustable blower tube, which is great for achieving optimum blowing force while in use.

**AK III**



## NEW SHA 56

36 V • 328 cfm • 125 mph • 7.1 ④ / 9.3 lb ⑤

As the first battery-powered shredder vac / blower in the AK System, the SHA 56 is a versatile tool that delivers the high performance and dependability of two STIHL products in one.

**AK III**

④ WEIGHT WITHOUT BATTERY, IN BLOWER MODE.  
⑤ WEIGHT WITHOUT BATTERY, IN SHREDDER MODE.



## BGA 60

36 V • 459 cfm • 154 mph • 5.0 lb ③

The BGA 60 is the most powerful cordless blower in the STIHL AK-System. Ideal for gathering leaves and other waste into piles. Variable blowing power adjustment with additional Boost mode for up to 60 % more blowing power than the BGA 57. Packed with a powerful and durable EC engine, round nozzle and an adjustable blower tube length equipped with a metal ring to protect against wear.

**AK III**



**FSA 57**



36 V • 0.28 kW • 5.7 lb ②

The FSA 57 is a lightweight battery trimmer with great trimming performance. This unit is ergonomic and the shaft length is customizable to user height preference. The working angle of the loop handle is adjustable without the use of tools and the mowing line will automatically advance when the mowing head is tapped on the ground.



**FSA 60 R**



36 V • 0.52 kW • 6.8 lb ②

Battery trimmer for lawn and lawn edge maintenance. The FSA 60 has increased power and a more durable motor compared to the FSA 57. This unit also features an ergonomic control handle with continuously variable speed control, a loop handle, and sturdy aluminium shaft.



**NEW FSA 80 R**



36 V • 0.8 kW • 10.6 lb ②

Featuring 40% more power than the FSA 60 R, the FSA 80 R with new loop-handle design is the most powerful trimmer in the AK lineup. It is virtually maintenance free thanks to its brushless motor.

Unit available in bike handle.



**NEW KMA 80 R**



36 V • 0.8 kW • 6.8 lb ②

The KMA 80 R battery-powered KombiMotor is made with the same durable components as its gas counterpart and can take on a variety of tasks with up to 14 optional attachments.

Please see page 46 for list of Kombi Tool Attachments



**NEW MSA 60 C-BQ**



36 V • 0.7 kW • 12" • 5.5 lb ②

The MSA 60 C-BQ is the lightest chainsaw in the STIHL lineup and packs powerful performance in a convenient, lightweight package—ideal for general yard maintenance and firewood cutting.



**NEW MSA 70 C-BQ**



36 V • 0.9 kW • 12" • 5.5 lb ②

With an updated design, the MSA 70 C-BQ delivers excellent performance in a lightweight chainsaw that works alongside homeowners to help maintain yards and landscaping

**HLA 56**



36 V • 18" • 8.4 lb ②

The HLA 56 lightweight lithium-ion long-reach hedge trimmer for cutting taller hedges and shrubs around the home. This unit has an adjustable blade angle from -45° to +90°. Keep in mind the shaft is detachable for easy transportation and storage. (Optional extension available HA01 820 5000)



**HTA 50**



36 V • 110.2" • 0.8 kW • 8.6 lb ②

Lightweight cordless pole pruner with high cutting performance for tree maintenance work of all types. Includes convenient side-mounted chain tensioning, for easy removal of cuttings from the tree and detachable shaft for easy transport and space-saving storage. Optional shaft extension (LA02 820 5000).





### HSA 50

36 V • 24" • 7.7 lb ②



The HSA 50 battery hedge trimmer features double-sided, droplet-shaped cutters with diamond-ground blades for exceptional performance at an affordable price.



### HSA 56

36 V • 18" • 6.4 lb ②



The HSA 56 is a lightweight battery hedge trimmer with great cutting performance for projects around the home. This unit comes with a special double-sided cutter designed with integrated cut protection and blade-tip sheath.



### HSA 60

36 V • 24" • 7.7 lb ②



This battery-powered hedge trimmer is equipped with a more powerful motor for demanding applications. Featuring laser-cut diamond-ground blades. These blades are designed in a patented teardrop shape for the perfect cuts and a healthy hedge. The HSA 60 delivers fast cutting speeds and features a rotating multi-function handle.

② WEIGHT WITHOUT BATTERY.



|  | INTEGRATED BATTERY | REMOVABLE BATTERIES |         |           |           |
|--|--------------------|---------------------|---------|-----------|-----------|
|  |                    | AS 2                | AK 10   | AK 20     | AK 30     |
| Voltage (V)  | -                  | 11                  | 36      | 36        | 36        |
| Amp-Hours (Ah)   | -                  | 2.6                 | 2       | 4         | 4.8       |
| Watt-Hours (Wh)  | -                  | 28                  | 72      | 144       | 180       |
| Weight (lb)  | -                  | 0.5                 | 1.8     | 2.7       | 2.9       |
| <b>BATTERY CHARGING TIMES (MINUTES) ①</b>                          |                    |                     |         |           |           |
| AL 1   | -                  | 55 / 70             | -       | -         | -         |
| AL 101   | -                  | -                   | 70 / 95 | 135 / 180 | 160 / 205 |
| AL 301   | -                  | -                   | 25 / 40 | 30 / 50   | 35 / 60   |
| AL 500   | -                  | -                   | 30 / 45 | 35 / 55   | 35 / 60   |
| <b>BATTERY LIFE (UP TO ... MINUTES AT CONTINUOUS FULL POWER) ②</b> |                    |                     |         |           |           |
| GTA 26   | -                  | 25                  | -       | -         | -         |
| HSA 26   | -                  | 110                 | -       | -         | -         |
| HSA 30   | -                  | 30                  | -       | -         | -         |
| HSA 40   | -                  | 60                  | -       | -         | -         |
| FSA 30   | -                  | 19                  | -       | -         | -         |
| SEA 20   | -                  | 14                  | -       | -         | -         |
| FSA 45   | 20                 | -                   | -       | -         | -         |
| BGA 45   | 10                 | -                   | -       | -         | -         |
| HSA 45   | 40                 | -                   | -       | -         | -         |
| FSA 57   | -                  | -                   | 25      | 50        | 60        |
| FSA 60   | -                  | -                   | 13      | 25        | 32        |
| FSA 80   | -                  | -                   | 12      | 25        | 30        |
| FSA 80 R   | -                  | -                   | 12      | 25        | 30        |
| BGA 57   | -                  | -                   | 13      | 25        | 30        |
| BGA 60   | -                  | -                   | 9       | 13        | 16        |
| SHA 56   | -                  | -                   | 12      | 25        | 30        |
| HSA 50   | -                  | -                   | 50      | 100       | 120       |
| HSA 56   | -                  | -                   | 50      | 100       | 120       |
| HSA 60   | -                  | -                   | 70      | 140       | 175       |
| HLA 56   | -                  | -                   | 50      | 100       | 120       |
| HTA 50   | -                  | -                   | 25      | 45        | 60        |
| KMA 80 R   | -                  | -                   | 10      | 20        | 25        |
| MSA 60 C-BQ  | -                  | -                   | 18      | 40        | 55        |
| MSA 70 C-BQ  | -                  | -                   | 18      | 40        | 45        |
| <b>BATTERY RANGE (UP TO ... M²) ②</b>                              |                    |                     |         |           |           |
| RMA 460  | -                  | -                   | 120     | 200 - 168 | 265 - 218 |
| RMA 460 V  | -                  | -                   | 120     | 200 - 168 | 265 - 218 |

AK III  
AL III  
AK III

① Recommended battery  
 ② Reduced tool performance  
 ③ Charging times in minutes up to 80% capacity/100% capacity  
 ④ The battery life times and battery ranges are estimates and can vary depending on how the tool is being used and what is being cut.  
 ⑤ Run time with FS-KM attachment.

# AP SYSTEM

When you're working, maximum power and battery life combined with outstanding performance are essential. A professional battery tool is vital – and not just in noise-sensitive situations. STIHL offers a wide selection of products for professional needs in the professional STIHL lithium-ion battery tool range.

**Battery Power. Made by STIHL.**



## RMA 510

21" • 59.5 lb ②

STIHL's RMA 510 battery lawn mower is great for working on large lawns. This unit features a 7-level cut height adjustment, 21" deck and the convenience of side ejection, bagging or mulching. This unit features an ECO mode and holds two AP batteries, one while in use and one for storage.



## RMA 510 V

21" • 63.9 lb ②

The RMA 510 V battery lawn mower is the self-propelled version of the RMA 510 lawn mower and comes with all the same features. The drive mechanism offers the convenience of variable speed.



② WEIGHT WITH BAG, WITHOUT SIDE DISCHARGE CHUTE, AND BATTERY.  
③ WEIGHT WITHOUT BATTERY, CUTTING HEAD AND DEFLECTOR.

## FSA 86 R

36 V • 0.52 KW • 7.3 lb ③

Powerful battery brushcutter designed for mowing in all professional applications. Featuring an ergonomic control handle with continuously variable speed control, loop handle, and sturdy aluminium shaft.



NEW

## FSA 120 R

36 V • 0.8 KW • 11 lb ③

The FSA 120 R battery-powered brushcutter provides excellent cutting performance for mowing tough grass. Features brushless EC motor, speed control and two power settings (Eco and Max), optimal balance, and tool recognition. Compatible with a wide range of cutting tools.



Unit available in bike handle.

## FSA 135 R

36 V • 1.0 KW • 10.1 lb ③

The FSA 135 R is the latest brushcutter in our battery-powered line-up. The ergonomic loop handle makes it comfortable to operate and easy-to-manoeuvre, while also providing a three-step speed adjustment with LED light.



Unit available in bike handle.

NEW

## FSA 200 R

36 V • 1.6 KW • 10.6 lb ③

The FSA 200 R battery brushcutter is perfect for professional applications in noise-sensitive areas. With an extended mowing diameter up to 450mm the FSA 200 R offers powerful performance with adjustable ergonomic design.



Unit available in bike handle.



**NEW**  
**RG 140** **APIII**  
36 V • 1.0 KW • 14 lb ©

Powerful battery weed remover designed for mowing in all professional applications. Featuring an ergonomic control handle with continuously variable speed control, loop handle, and sturdy aluminium shaft.



**NEW**  
**FCA 140** **APIII**  
36 V • 12.6 lb ©

The straight-shaft, battery-powered FCA 140 edger provides trusted durability and professional grade performance. With its high torque, variable-speed trigger and adjustable depth wheel, you are in control of the power needed to cut through packed soil or create completely new edges.



**NEW**  
**KMA 120 R** **APIII**

36 V • 7.5 lb ©

The versatile KMA 120 R is built for professional, extended use and is powered by STIHL AP System batteries. Featuring a brushless motor for virtually zero-maintenance and variable-speed trigger to optimize energy usage, the KombiMotor offers efficiency and durability.

Please see page 46 for list of Kombi Tool Attachments



**KMA 135 R** **APIII**

36 V • 7.5 lb ©

The KMA 135 R is lightweight, emission-free and quiet. The KMA 135 R features a brushless motor that provides the performance that landscapers and groundskeepers demand. Built with three power settings to offer the ideal power required for a task, while conserving battery energy and longer battery runtimes.

Please see page 46 for list of Kombi Tool Attachments



**HTA 86** **APIII**

36 V • 105.6-153.6" • 11 lb ②

The powerful and cordless HTA 86 cordless pole pruner for professional use in tree maintenance, orchards and urban forests. With the same telescopic shaft as the professional gas-powered HT 135, the HTA 86 pole pruner gives users the benefits of quiet, clean battery power in a durable, proven tool design.



**HTA 135** **APIII**

36 V • 112-159" • 15 lb ②

The most powerful STIHL battery pole pruner. This unit features the 1/4" PM3 saw chain, a lightweight magnesium transmission and a sturdy branch hook for easy removal of loose tree cuttings.



**NEW**  
**HTA 150** **APIII**

36 V • 77.2" • 10.4 lb ②

The HTA 150 is a fixed-length pole pruner that features a robust branch hook.



**NEW**  
**HTA 160** **APIII**

36 V • 112-159" • 15.2 lb ②

More powerful than the HTA 135, the HTA 160 is a telescoping pruner that extends to 405 cm in length. It features a weather-resistant design and a light-weight, sturdy magnesium gearbox.



**MSA 160 C-BQ** **APIII**

36 V • 1.2 kW • 7.5 lb ②

The MSA 160 C-BQ powerhouse fulfills even the highest demands for performance and working comfort, making this unit perfect for property maintenance.



**MSA 200 C-BQ** **APIII**

36 V • 1.4 kW • 6.8 lb ②

The outstanding cutting power makes the MSA 200 C-BQ the perfect tool for professionals and homeowners. This model features a 20% longer runtime, 15% more power and endurance with 20% more torque, compared to the MSA 160 C-BQ.



**MSA 220 C-BQ** **APIII**

36 V • 1.7 kW • 6.8 lb ②

The MSA 220 C-BQ offers 30% more cutting performance compared to the MSA 200 C-BQ and a bigger cutting diameter by accommodating up to a 16" guide bar. This unit is ideal for landscaping, tree pruning jobs or cutting firewood.



**MSA 300** **APIII**

36 V • 2.5 kW • 9.9 lb ②

The MSA 300 is the most powerful battery chain saw for professional applications. High performance with three operating modes enables optimum work across a huge range of applications.



**MSA 161 T** **APIII**

36 V • 1.0 kW • 4.6 lb ②

The convenient MSA 161 T special cordless top handle chain saw sets new standards in the field of professional tree maintenance. Thanks to its weight of 4.6 lb, it facilitates both an ergonomic working position and a high level of agility when the job entails climbing or working from a bucket truck.



**MSA 220 T** **APIII**

36 V • 1.7 kW • 6.0 lb ②

The MSA 220 T is the most powerful top-handle chain saw in the STIHL battery-powered lineup; boasting power and performance similar to professional gas top-handle chain saws.

Top handle chain saws should only be used by trained arborists.

Top handle chain saws should only be used by trained arborists.

② WEIGHT WITHOUT BATTERY, GUIDE BAR, AND SAW CHAIN.



**HSA 66** **APIII**  
36 V • 20" • 6.8 lb Ⓢ

The HSA 66 is a lightweight powerhouse. With up to 40% longer run times, the energy efficient design also features optimized blade geometry and diamond-ground blade edge for clean cutting.



**HSA 100** **APIII**  
36 V • 24" • 7.9 lb Ⓢ

The HSA 100 hedge trimmer is the perfect tool for use in noise-sensitive areas. A rotatable rear handle, anti-vibration system and high performance EC motor make this a perfect choice for professionals.



**BGA 86** **APIII**  
36 V • 459 cfm • 154 mph • 6.2 lb Ⓢ

The BGA 86 is a powerful portable cordless blower that is easy-to-operate. Air stream and blowing intensity can be adjusted in continuous variables using the convenient switch lever. Leaves, cuttings and waste are cleaned quietly and powerfully from all surfaces in an instant.



**SGA 85** **APIII**  
36 V • 17 l • 13.7 lb Ⓢ

The SGA 85 is a high-performance backpack sprayer due to a powerful diaphragm pump with 6 bar of operating pressure. Featuring an adjustable hollow cone nozzle, continuously variable pressure adjustment and a large opening for easy fillings.

**HLA 66** **APIII**  
36 V • 79.1" • 7.7 lb Ⓢ

Lightweight long-reach battery hedge trimmer for pruning hedges and shrubs. The cutter bar can be adjusted through 115° without the use of tools. Double-sided cutting blade provides a clean cutting pattern.



**HLA 86** **APIII**  
36 V • 128.7" • 9.7 lb Ⓢ

Telescopic long-reach battery hedge trimmer for professional use. Double-sided cutting plate for a clean cutting pattern, continuously variable speed control, and intuitive control handle.



**HLA 135** **APIII**  
36 V • 97" • 12.3 lb Ⓢ

This long-reach professional lithium-ion hedge trimmer features a brushless EC motor and comes equipped with an adjustable 20" double-sided cutter bar. This unit provides various ergonomic working positions with minimal vibrations, making it easy-to-operate and its ultra-quiet motor makes it the perfect tool for operating in noise-sensitive areas.



Ⓢ WEIGHT WITHOUT BATTERY.



## TSA 230

36 V • 9" • 2.75" • 8.6 lb ④



The TSA 230 STIHL Cutquik® is the world's first battery-powered cut-off machine. The 9" cutting wheel and emission-free cordless technology ensure clean work both indoors and outdoors. Its light and compact design with ergonomic handle allow for ease-of-use and comfortable operation. This unit comes equipped with a quick coupling water connection. An optional depth limiter/vacuum attachment is available to ensure effective dust control when cutting. This machine is the new favourite tool for construction and renovation projects.

④ WEIGHT WITHOUT BATTERY AND CUTTING WHEEL.

## TSA 230 ACCESSORIES



### COMPOSITE ABRASIVE WHEEL 9"/230 MM

9" (230 mm) abrasive wheel for the TSA 230 is perfect for cutting and grinding steel.

0835 012 7000



### B10 DIAMOND WHEEL 9"/230 MM

9" cutting wheel for the TSA 230 is perfect for cutting concrete and stone.

0835 090 7050



### X100 DIAMOND WHEEL 9"/230 MM

Extremely fast, 9" multi-purpose diamond wheel for cutting brick, concrete, granite and ductile cast iron pipes. Extremely robust, temperature-resistant composition. Suitable for cutting construction steel up to 10 mm thick.

0835 092 7000



### VACUUM DEPTH LIMITER

For dry cutting; vacuum port allows fine particles to be suctioned away while working, depth gauge precisely controls cut penetration. Needs to be connected to vacuum unit.

4864 690 0801



## AP Professional System Runtime Chart

|  | REMOVABLE BATTERIES |           |           |           |           |           |           |
|--|---------------------|-----------|-----------|-----------|-----------|-----------|-----------|
|  | AP 100              | AP 200    | AP 300    | AP 300 S  | AP 500 S  | AR 2000 L | AR 3000 L |
| <b>Voltage (V)</b>   |                     | 36        | 36        | 36        | 36        | 36        | 36        |
| <b>Amp-Hours (Ah)</b>  |                     | 4.8       | 6.3       | 7.8       | 9.4       | 27.4      | 41.2      |
| <b>Watt-Hours (Wh)</b>   |                     | 187       | 227       | 281       | 337       | 1,015     | 1,520     |
| <b>Weight (lb)</b>   |                     | 2.9       | 3.8       | 3.9       | 4.4       | 16.3      | 20.9      |
| <b>BATTERY CHARGING TIMES (MINUTES) ①</b>                          |                     |           |           |           |           |           |           |
| <b>AL 101</b>  |                     | 150 / 200 | 190 / 250 | 230 / 300 | 280 / 355 | N/A       | N/A       |
| <b>AL 301</b>  |                     | 40 / 55   | 50 / 75   | 55 / 80   | 70 / 90   | 220 / 290 | 330 / 430 |
| <b>AL 500</b>  |                     | 30 / 45   | 25 / 35   | 30 / 45   | 40 / 55   | 110 / 150 | 170 / 220 |
| <b>AL 301-4</b>  |                     | 40 / 55   | 45 / 60   | 55 / 70   | 70 / 90   | 210 / 270 | 310 / 400 |
| <b>BATTERY LIFE (UP TO ... MINUTES AT CONTINUOUS FULL POWER) ②</b> |                     |           |           |           |           |           |           |
| <b>MSA 160 C-BQ</b>  | -                   | 42        | 50        | 62        | 74        | 196       | 300       |
| <b>MSA 161 T</b>   | -                   | 42        | 50        | 62        | 74        | 196       | 300       |
| <b>MSA 200 C-BQ</b>  | -                   | 35        | 45        | 50        | 60        | 174       | 261       |
| <b>MSA 220 C-BQ</b>  | -                   | 32        | 37        | 40        | 44        | 201       | 281       |
| <b>MSA 220 T</b>   | -                   | 16        | 25        | 29        | 34        | 109       | 174       |
| <b>MSA 300</b>   | -                   | -         | -         | -         | 20-44     | -         | -         |
| <b>HTA 86</b>  | 18                  | 46        | 55        | 68        | 82        | 195       | 300       |
| <b>FSA 86 R</b>  | 17                  | 35        | 42        | 52        | 62        | 185       | 280       |
| <b>FSA 90 R</b>  | 12                  | 24        | 30        | 37        | 44        | 130       | 196       |
| <b>FSA 120</b>   | -                   | 30        | 40        | 50        | 60        | 200       | 300       |
| <b>FSA 120 R</b>   | -                   | 30        | 40        | 50        | 60        | 200       | 300       |
| <b>FSA 130 R</b>   | 14-10               | 28-17     | 36-19     | 45-25     | 54-30     | 160-90    | 220-130   |
| <b>FSA 135</b>   | 25-16               | 28-17     | 70-40     | 100-50    | 120-60    | 310-160   | 430-240   |
| <b>FSA 135 R</b>   | 14-10               | 28-17     | 36-19     | 45-25     | 54-30     | 160-90    | 220-130   |
| <b>FSA 200</b>   | -                   | 21-11     | 24-14     | 32-17     | 40-20     | 116-62    | 170-92    |
| <b>FSA 200 R</b>   | -                   | 21-11     | 24-14     | 32-17     | 40-20     | 116-62    | 170-92    |
| <b>RGA 140</b>   | 25-16               | 50-30     | 70-40     | 100-40    | 120-60    | 310-160   | 430-240   |
| <b>FCA 140</b>   | -                   | 28        | 35        | 45        | 52        | 165       | 250       |
| <b>HSA 66</b>  | 72                  | 144       | 180       | 223       | 268       | 717       | 1,043     |
| <b>HSA 100</b>   | -                   | 150       | 180       | 225       | 270       | 730       | 1,100     |
| <b>HLA 66</b>  | 72                  | 144       | 180       | 223       | 268       | 715       | 1,040     |
| <b>HLA 86</b>  | 72                  | 144       | 180       | 223       | 268       | 715       | 1,040     |
| <b>HLA 135</b> (with FS-K04, trimmer line head)                    | 32                  | 64        | 77        | 95        | 114       | 345       | 520       |
| <b>HTA 135</b> (with FS-K04, trimmer line head)                    | 10                  | 22        | 35        | 45        | 54        | 160       | 240       |
| <b>HTA 150</b>   | -                   | 30        | 47        | 60        | 68        | 222       | 333       |
| <b>HTA 160</b>   | -                   | 45        | 56        | 70        | 80        | 262       | 393       |
| <b>KMA 120 R</b>   | -                   | 30-14     | 38-18     | 47-22     | 54-26     | 200       | 300       |
| <b>KMA 130 R</b>   | 14-7                | 28-14     | 36-17     | 45-22     | 54-28     | 160-80    | 200-115   |
| <b>KMA 135 R</b>   | 14-7                | 28-14     | 36-17     | 45-22     | 54-28     | 160-80    | 200-115   |
| <b>BGA 86</b>  | 11                  | 17        | 21        | 26        | 31        | 90        | 140       |
| <b>BGA 100</b>   | 32-8                | 66-12     | 83-16     | 103-20    | 123-24    | 320-65    | 510-95    |
| <b>BGA 200</b>   | 24-4                | 49-7      | 78-12     | 95-14     | 114-17    | 315-53    | 500-85    |
| <b>BGA 300</b>   | -                   | -         | -         | 50-20     | 58-24     | 97-48     | 140-61    |
| <b>SGA 85</b>  | 510                 | 1000      | -         | -         | -         | -         | -         |
| <b>TSA 230</b>   | 7                   | 14        | 18        | 22        | 26        | 80        | 125       |
| <b>BATTERY RANGE (UP TO ... M²) ③</b>                              |                     |           |           |           |           |           |           |
| <b>RMA 510</b>   |                     | N/A       | 230       | 280       | 336       | N/A       | N/A       |
| <b>RMA 510 V</b>   |                     | N/A       | 196       | 238       | 286       | N/A       | N/A       |
| <b>RMA 765 V</b>   |                     | N/A       | 330       | 400       | 480       | 2,050     | 3,100     |

① Recommended battery  
 ② Charging times in minutes up to 80% capacity/100% capacity  
 ③ The battery life times and battery ranges are estimates and can vary depending on how the tool is being used and what is being cut.  
 ④ Level 1 / Level 2 / Level 3 / Level 4  
 ⑤ The battery working times and area specifications for each battery charge are estimates and may vary depending on application.

# AR BACKPACK SYSTEM



## RMA 765 V

36 V • 25" • 97 lb ②



The professional RMA 765 cordless lawn mower is great for regular care of lawns in particularly noise-sensitive areas. Featuring a 25" cutting width, a 2-blade flow-optimised mowing unit, cut-height adjustment and electric Vario wheel drive. This professional lawn mower has a 80-litre grass catcher box with a fill-level indicator.



## BGA 300

36 V • 571 cfm • 192 mph • 16.5 lb ③




Landscape contractors and municipalities will be amazed by the power and efficiency of the BGA 300 battery blower. This unit is equipped with STIHL's new Noise Reduction System that reduces loudness and improves sound quality, a throttle lock (cruise control), premium shoulder straps and hip belt for amazing comfort. The blower tube length can be adjusted at the touch of a button.

## FSA 130 R

36 V • AUTOCUT® 25-2 • 8.6 lb ④



The FSA 130 R is a powerful and lightweight battery brushcutter. This professional series unit comes with a single strap harness and AutoCut® mowing head. It also features a self-reset locking lever and LED display with 3 speed settings. This unit requires an additional purchase of any AP battery carrying system or an AR backpack battery.



## BGA 100

36 V • 494 cfm • 168 mph • 5.5 lb ③



The BGA 100 is a quiet, lightweight and highly powerful cordless blower for professional use. It features a round nozzle, rubberised two-component handle, three power settings with boost function, fully adjustable blower tube length and a mounting ring for hip pad. This unit requires an additional purchase of any AP battery carrying system or an AR backpack battery.



## BGA 200

36 V • 553 cfm • 188 mph • 7.1 lb ③



Landscapers, municipalities and cleaning contractors will be amazed by the power and efficiency of the BGA 200 battery blower. Removing leaves, grass cuttings and all types of debris can quickly and easily be done with the high blowing force and high air speed of the BGA 200. This unit requires an additional purchase of any AP battery carrying system or an AP backpack battery.



## HSA 94 T

36 V • 24" • 8.2 lb ③



The HSA 94 T is a high-performance and durable professional battery hedge trimmer with high blade speed for precise cuts. A rotating multifunction handle with three stroke rate settings and double-sided cutting blade ensure clean, efficient results. This unit requires an additional purchase of any AP battery carrying system or an AR backpack battery.


## KMA 130 R

36 V • 7.0 lb ③



The KMA 130 R is the other lithium-ion battery version of STIHL's versatile KombiSystem line-up. The KMA 130 R features a commercial grade brushless motor for optimal performance and durability. This unit requires an additional purchase of any AP battery carrying system or an AR backpack battery. This tool can run 14 different attachments.





Choose from 1 of 4 powerful battery-powered KombiMotors

AKIII

APIII

APIII

APIII

COMBINE ONE OF UP TO FIFTEEN KOMBISYSTEM ATTACHMENTS AND YOU'RE READY TO GO.\*

\*Not for use with KMA 135.

## KOMBI ATTACHMENTS



**BF-KM**  
SOIL CULTIVATOR

A useful tool to maintain flower beds and for weed control in gardens.



**BG-KM**  
BLOWER

With this powerful blower attachment, you will find your KM unit the most versatile and useful piece of equipment in your yard maintenance arsenal.



**FBD-KM**  
BED REDEFINER

The blade is designed to re-shape or re-define an existing garden bed. Ruggedly constructed for maximum durability.



**FCB-KM**  
CURVED LAWN EDGER

Ideal for accurately maintaining lawn edges along paths, driveways or flower beds.



**FCS-KM**  
LAWN EDGER

Straight-shaft edger delivers more power to the cut. Depth control wheel, as well as open guard design.



**FS-KM**  
METAL BLADE

Used for mowing heavy grass and weeds. Not for trimming around obstacles.



**FS-KM**  
MOWING HEAD

Ideal for cutting grass and trimming along walls or fences, under hedges or beside borders (with mowing head).

### KOMBISYSTEM ATTACHMENTS

|        |                      |            |
|--------|----------------------|------------|
| BF-KM  | SOIL CULTIVATOR      | 4.1/9.0 ①  |
| BG-KM  | BLOWER               | 1.8/4.0    |
| FBD-KM | BED REDEFINER        | 3.5/7.7    |
| FCB-KM | CURVED LAWN EDGER    | 2.2/4.9 ②  |
| FCS-KM | LAWN EDGER           | 2.6/5.7 ②  |
| FS-KM  | METAL BLADE          | 1.2/2.6 ③  |
| FS-KM  | MOWING HEAD          | 1.2/2.6 ③  |
| FSB-KM | CURVED-SHAFT TRIMMER | 0.95/2.1 ② |
| FH-KM  | POWER SCYTHE 0-135°  | 2.1/4.7    |
| HL-KM  | HEDGE TRIMMER 0°     | 1.6/3.5    |
| HL-KM  | HEDGE TRIMMER 145°   | 2.3/5.1    |
| HT-KM  | POLE PRUNER          | 1.9/4.2 ④  |
| KB-KM  | BRISTLE BRUSH        | 6.4/14.1 ① |
| KW-KM  | STIHL POWERSWEEP™    | 7.4/16.3 ① |
| RG-KM  | WEEDER               | 2.5/5.5    |

① With deflector  
 ② With cutting tool and deflector  
 ③ Without cutting tool, without deflector  
 ④ Without bar and chain

**Note:** Weights shown are for attachments only.  
**Note:** Specifications are as of Jan 1, 2024.  
 For most recent updates, visit [STIHL.ca](http://STIHL.ca).

# ADVANCE X-FLEX MODULAR HARNESS SYSTEM

Thanks to its combination of harness, cable guide and battery transport bag, the ADVANCE X-Flex modular harness system offers a convenient way to carry STIHL batteries as you work. The system also makes work easier, especially when using cordless hedge trimmers or cordless blowers that require a connecting cable for power supply - that is where the optional battery bag with connecting cable and the cable guide really shine. However, power tools with battery slots and adapters also benefit from the modular harness system because it helps to reduce the weight of the power tools as you work. In this case the battery hangs comfortably from the harness.



## NEW ADVANCE X-FLEX BATTERY BELT SET

- ✓ Includes ADVANCE X-Flex hip belt in size M (waist circumference 89-143 cm),
- ✓ ADVANCE X-Flex shoulder harness and cable guide. Belt available separately.



## NEW ADVANCE X-FLEX SHOULDER HARNESS

Complements the hip harness and belt for heavy loads. Very comfortable to wear thanks to padding and adjustable harness length. It is easy to attach pockets and holders using the STIHL clip system.



## NEW ADVANCE X-FLEX HIP BELT

Padded hip belt with suspension eyelets for shoulder harness and FS harness. With an attachment bar for securing pockets and holders using the STIHL clip system. Robust clasp housing made from aluminium.



## NEW ADVANCE X-FLEX HARNESS

Slimline harness for carrying lighter loads and use in high temperatures. Hip belt comes with suspension eyelets for the shoulder harness and attachment bar for securing pockets and holders using the STIHL clip system.



# ADVANCE X-FLEX POCKETS

Extend your harness system with practical pockets and ergonomic accessories. The integrated STIHL clip system means these can easily be clipped onto the hip belt and harness or removed.

## NEW BATTERY BAG

0000 491 0300



## NEW LEAD RETAINER

0000 491 1000



## NEW BATTERY BAG WITH CONNECTING CABLE

0000 440 5101



## NEW UNIVERSAL POCKET

0000 882 6100



## NEW SMARTPHONE POCKET

0000 882 6700



## NEW STOMACH PADDING

0000 490 1800



## NEW RADIO POCKET

0000 882 6600



## NEW SECURING CLIPS

0000 740 8800



# AR BACKPACK SYSTEM

Power tools with a socket Energy supply and carrying systems

## AR BATTERY BACKPACK PARTS

Clip to AR series backpack battery for improved fit and redistribution of unit weight.

**Shoulder Strap Cinch:** 4866 007 1000

**FSA Contact Pad:** 4147 740 2502

**FSA 135 & KMA 135 Padding Kit:** 0000 007 1045



## BGA 200 CARRYING SYSTEM

The Comfort Carrying System by STIHL is used in conjunction with the powerful BGA 200 battery blower. The system allows the blower to be mounted to the backpack battery belt, cutting down on user fatigue and making the clearing of large areas much easier. The configuration also enables the user to change quickly from mounted to handheld mode, thus making the system flexible and easy-to-use. It is compatible with the AR 2000L and AR 3000L backpack batteries.

### BATTERY POWER SUPPLY



AP 200  
AP 300 S  
AP 500 S



ADVANCE X-Flex AP battery bag with connecting cable



AP holster with connecting cable



AR 2000 L  
AR 3000 L



Connecting cable for AR L batteries



AR 2000 L  
AR 3000 L



Connecting cable for AR L batteries



AP adapter

### For charging the battery

### CARRYING SYSTEMS



ADVANCE X-Flex modular harness system



Battery belt with harness or AP carrying system



Carrying system for AR L

# PRO BATTERY ACCESSORIES



## AP SOCKET ADAPTER

Fits socket designed to accept AP series battery, for connection with cabled power source; can be used with any AR Backpack Battery or AP Adapter System.

Cable not included.

4850 440 0505



## BATTERY CARRYING CASE

Transport your STIHL batteries and charger with ease. Made with double wall protection and featuring a clear lid for easy viewing, this case is easily customized with various optional inserts.

7002 881 5600



## AP CARRYING BACKPACK

The backpack is used in conjunction with the AP Adapter System (4850 440 5103) to provide an effective lightweight carrying solution.

4850 490 0400



## AP ADAPTER SYSTEM

AP battery holster with cable that allows connection to battery units designed for cabled power source. Bag features belt loop and retaining strap.

4850 440 5103



## AP CONNECTING CABLE

4871 440 2000



## AP CARRYING POUCH

Pouch with belt loop holds spare/back-up AP series battery.

4850 491 0101

**NEW**

## ADA 1000

Double battery slot adapter for using two AP batteries. Automatic switching to the second battery as soon as the first is flat. AP batteries not included in delivery.

6909 400 4300



# BATTERIES AND CHARGERS

## CHARGERS



**AL 1** - Enables fast charging of the AS 2 battery.



**AL 101** - Standard charger with operating mode indicator. This unit can charge all your AK and AP batteries.



**AL 301** - High capacity quick charger with operating mode indicator and integral air cooling. This unit can charge all your STIHL AK, AP and AR batteries.



**AL 501** - Premium battery charger provides optimal charging times with active cooling and high charging current for very quick charging of the STIHL AK, AP and AR batteries.



**AL 301-4 MULTI CHARGER** - Multiple battery charger for sequential charging of up to four AP batteries or AR batteries with an AR connecting cable and AP adapter. Can be secured either to the wall or on a shelf, or permanently installed in a vehicle. Energy supply via an external feed.

## BATTERIES



**AS 2**

The AS 2 is a powerful 10.8 V battery with 28 Wh energy content. A removable battery that can be used with the HSA 26, SEA 20 and GTA 26.



**AK 10 | AK 20 | AK 30**



**AP 100 | AP 200 | AP 300 | AP 300 S**

STIHL batteries are based on 36-volt battery-powered technology, offering both performance and longevity. They're also custom engineered by STIHL to include a host of advanced features, including LED charge indicator lights, specialized voltage monitors and temperature sensors to help ensure optimal operation and long service life. Even after 500+ charges, STIHL batteries retain over 80% capacity. And speaking of charging, STIHL battery chargers will automatically switch off once your battery is fully charged.



**AP 500 S**

Powerful battery for professionals - the AP 500 S is not only the most powerful AP battery from STIHL, but also features double the service life and twice as many possible charging cycles as the AP 300.



**AR 2000 L AND AR 3000 L**

STIHL has your back with our backpack lithium-ion batteries with large capacity for longer running times.



# ELECTRIC POWER.

48 ELECTRIC CHAIN SAWS

52 ELECTRIC PRESSURE WASHERS

50 ELECTRIC TOOLS

54 ELECTRIC PRESSURE WASHER ACCESSORIES

51 ELECTRIC WET/DRY VACUUMS



# ELECTRIC CHAIN SAWS

STIHL electric saws produce little noise, making them convenient for use indoors or in noise sensitive areas. All they need is power from a wall outlet. All our electric chain saws are equipped with the STIHL Quickstop® inertia-activated chain system.



## MSE 141 C-Q

120 V • 1.4 kW • 8.8 lb ©

The MSE 141 C-Q is a lightweight entry-level model with great cutting performance. Good ergonomics for effortless work, side-mounted chain tensioning for securing and easily tensioning of the chain, Quickstop® Super chain brake, oil tank with transparent viewing window and overload protection.




## MSE 250 C-Q

120 V • 1.8 kW • 9.4 lb ©

Professional electric saw with high torque and ample power. Perfect for demanding woodwork indoors or in confined spaces.

© WEIGHT WITH POWERHEAD, BAR AND CHAIN.



# ELECTRIC TOOLS

STIHL Electric power tools offers fast and convenient lawn care without the hassle of fuel mixing or starting procedures, just plug in and flip the switch.



## HSE 52

120 V • 0.46 kW • 6.8 lb

The HSE 52 electric model comes with a 20" double-sided blade and a heavy duty gear box that provides a fast blade speed for all applications around the yard.

HSE 52 - 20"



## BGE 71

BGE 71 120 V • 1.1 kW • 285 cfm • 6.8 lb

Lightweight, high-powered electric units. Features the same convenient cord-keeper system as our electric trimmer. Has a two-year homeowner warranty. The BGE 71 features a dual speed motor and can also be used as a vacuum with optional attachment. Optional vacuum and gutter kits are available.

© WEIGHT WITHOUT CUTTING ATTACHMENT OR DEFLECTOR.

## FSE 60

120 V • 0.6 kW • 8.8 lb

Ergonomic electric grass trimmer. Well balanced and equipped with STIHL's innovative cord keeper and easy-load AutoCut® C 6-2 trimmer head.



### LEARN MORE ABOUT ALTERNATIVE POWER FROM STIHL

See STIHL's lithium-ion battery tool line-up starting on page 6.



# ELECTRIC WET/DRY VACUUMS

## SE 33

120 V • 1,000 w • 11.7 lb

The SE 33 entry level vacuum is made for cleaning both dry and wet surfaces close to home. It features strong suction power, optimized storage of accessories directly on the device, easy handling with rotating front wheels and flexible changing between wet and dry vacuuming through its reversible floor nozzle.



## SE 62

120 V • 1,000 w • 16.5 lb

This wet/dry vacuum provides the strong suction power to tackle a variety of everyday tasks around your home or shop quickly, efficiently and quietly. Blower function activated by moving the suction tube to the exhaust port for additional cleaning tasks.



## SE 122

120 V • 1,000 w • 26.7 lb

This extremely quiet wet/dry vacuum delivers superior suction power to quickly and efficiently complete the toughest tasks without disturbing those around you.



# ELECTRIC PRESSURE WASHERS

Need to spruce up the outside of your home but confused on where to start? Start cleaning with an electric pressure washer from STIHL. These powerful, yet affordably priced, pressure washers offer the cleaning power to effectively clean sidewalks, decks, driveways and more. With an assortment of optional attachments and cleaners, you can customize - and optimize - your cleaning experience.



## RE 80

120 V • 1,450 psi • 430 l/hr • 15.4 lb

The RE 80 is a lightweight, compact entry-level electric pressure washer with hard-wearing aluminum high-pressure pump, rotary nozzle, adjustable fan jet nozzle and cleaning agent spray set. It is compact in design and has secure storage for accessories directly on the high-pressure cleaner.



## RE 90

120 V • 1,450 psi • 440 l/hr • 17.6 lb

Lightweight, convenient high-pressure cleaner with hard-wearing aluminum high-pressure pump, rotary nozzle, adjustable fan jet nozzle, cleaning agent spray set.



## RE 90 PLUS

120 V • 1,450 psi • 440 l/hr • 19.8 lb

Same great features as the RE 90, plus the additional hose reel for particularly easy handling and storage of the high-pressure hose.



## RE 130 PLUS

120 V • 2,030 psi • 440 l/hr • 46.7 lb

Exceptionally powerful, sturdy high-pressure washer with an extensive range of features. Features include; High-quality aluminum pump, steel-reinforced high-pressure hose, hose reel, and adjustable nozzle pressure regulation.



## ELECTRIC PRESSURE WASHER ACCESSORIES



### ROTATING WASHING BRUSH WITH QUICK RELEASE COUPLING

Rotating inner brush.



### PATIO CLEANER BRUSH

For quick and splash-free cleaning of large surfaces.



### WASH BRUSH

For cleaning delicate surfaces.



### FOAM SPRAYER WITH NOZZLE

Powerful cleaning effect due to foam. One litre bottle with larger filler opening.

| ELECTRIC PRESSURE WASHER ACCESSORIES               | FITS MODELS          | PART NUMBER   |
|--|----------------------|---------------|
| WASH BRUSH   | RE 80, 130 PLUS      | 4910 500 6000 |
| PATIO CLEANER BRUSH                                | RE 90, 130 PLUS      | 4910 500 3900 |
| ROTATING WASHING BRUSH WITH QUICK RELEASE COUPLING | RE 90, 130 PLUS      | 4910 500 5900 |
| WASH BRUSH WITH NOZZLE SET                         | RE 90, 130 PLUS      | 4910 500 6100 |
| STRAIGHT NOZZLE                                    | RE 90, 130 PLUS      | 4900 500 6305 |
| ANGLED NOZZLE - 90 DEGREE                          | RE 90, 130 PLUS      | 4900 500 6306 |
| 23" HIGH PRESSURE HOSE (TEXTILE BRAIDED)           | RE 90, 130 PLUS      | 4910 500 0801 |
| 29.5" HIGH PRESSURE HOSE (STEEL BRAIDED)           | RE 90, 130 PLUS      | 4910 500 0802 |
| 23" HOSE EXTENSION (STEEL BRAIDED)                 | 130 PLUS             | 4910 500 0802 |
| 49.2" PIPE CLEANING KIT                            | RE 90, 110, 130 PLUS | 4910 500 8000 |
| 16" SPRAY WAND EXTENSION                           | RE 90, 130 PLUS      | 4910 500 0900 |
| 42.5" ANGLED SPRAY WAND W/ NOZZLE                  | RE 90, 130 PLUS      | 4910 500 1900 |
| FOAM SPRAYER WITH BOTTLE                           | 130 PLUS             | 4915 500 5603 |
| SPRAY GUN  | RE 90                | 4915 500 1398 |
| SPRAY GUN  | 130 PLUS             | 4915 500 1314 |
| COUPLING SLEEVE                                    | RE 90, 130 PLUS      | 4201 670 1701 |
| PUMP CONDITIONER AND WINTERIZER                    | ALL PRESSURE WASHERS | 7002 871 1650 |
| NEW RE TELESCOPIC SPRAY LANCE                      | ALL PRESSURE WASHERS | 4910 550 3500 |
| NEW RE WASH BRUSH ROLLER                           | ALL PRESSURE WASHERS | 4910 550 3400 |
| NEW RE SPLASH GUARD                                | ALL PRESSURE WASHERS | 4910 550 900  |

**Note:** Specifications are as of January 1, 2023.

For most recent updates, visit [www.stihl.ca](http://www.stihl.ca). Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



# THE PERFECT LAWN. WITH INTELLIGENT MOWING.

58 iMOW® ROBOTIC MOWERS



# iMOW® ROBOTIC MOWERS

## LAWN CARE MADE EASY.

Devote “mow” energy to what really matters.

Once installed and programmed, your robotic mower will keep the lawn beautifully manicured and healthy while you enjoy time with friends, family and favourite hobbies.

### 01 QUIET

At only 60 dB, iMow® is so quiet that it can be programmed to operate at any time of day or even night, without disturbing you or your neighbours.

### 02 INTELLIGENT

Set a weekly mowing schedule that works for you to maintain your lawn. iMow® will adjust its charge time based on the schedule you set. In addition, a series of adjustable sensors allows iMow® to be customized for every environment.

### 03 GREEN

Using iMow® will enhance the health of your lawn. Unlike a traditional lawn mower, iMow® cuts a small part of the plant. These fine clippings eliminate the need for cleaning and feeding your lawn. The end result is the need for less fertilizer and irrigation.

### 04 CLEAN

Drawing very little power, the docking station can intelligently manage charge intensity to prolong the service life of the lithium-ion battery.

NEW

## iMOW® 5

0.8-2.4" • 7.8" • 40%/22° • 75 hrs • 16,000 sq ft



This fully automatic robotic mower in a modern design cuts grass, shreds clippings, and fertilises in one work process. The new mowing system with three free-swinging blades, electric cut-height adjustment, situational speed adjustment and 40% incline capability ensure an outstanding mowing result and a clean cut. The intuitive operating concept facilitates simple control via the MY iMOW® app over wifi or Bluetooth®, the option to integrate your robotic mower into existing smart home systems, voice output on the device and visual communication via the LED strips on the front and rear of the machine. Among other features, the large 28 cm cutting width, smart docking function and efficient charge management help to keep the robotic mower's active mowing times short.

NEW

## iMOW® EVO



NEW

## iMOW® 5 EVO

0.8-2.4" • 11" • 45%/24° • 60 hrs • 16,000 sq ft

NEW

## iMOW® 6 EVO

0.8-2.4" • 11" • 45%/24° • 90 hrs • 32,000 sq ft

NEW

## iMOW® 7 EVO

0.8-2.4" • 11" • 45%/24° 125 hrs • 53,000 sq ft

Fully automatic robotic mower in a new modern design with extended range of functions compared to the iMOW® 5, 6 and 7 models. App control via the mobile network regardless of your location, plus the additional LED matrix for visual status communication make this model even more user-friendly and intuitive to operate. Among other features, the higher travel speed of 0.5 m/s enables shorter active mowing times and increased flexibility in using your garden. This feature allows up to three iMOW® EVO models to be installed on a single lawn, ensuring that the grass is cut within an even shorter time. The iMOW® EVO's incline capability of up to 45% can be increased to a maximum of 55% using the iMOW® Upgrade Kit 10, available as an accessory, further improving the mower's all-terrain capability on uneven lawns.

# iMOW® & iMOW® EVO

## PRODUCT HIGHLIGHTS AT A GLANCE

### POWERFUL MOWING SYSTEM

With three free-swinging blades and electric cut-height adjustment

### STEEP SLOPES

The iMOW® can operate on inclines up to 40%.

### SITUATIONAL DRIVING BEHAVIOUR

The iMOW® adapts its speed to the situation at hand for a perfect cut.

### RAIN SENSOR

Depending on the selected sensitivity setting of its rain sensor, the iMOW® can pause the mowing process during precipitation to protect wet grass.

### EASY & INTUITIVE OPERATION

Via the MY iMOW® app, control panel with voice output and LED strip.

### CONNECTIVITY - WIFI & BLUETOOTH®

Allows for convenient, flexible control of your iMOW® robotic mower.

### VOICE CONTROL

Your iMOW® can be integrated into your smart home system and conveniently operated by voice control.

### SHORT ACTIVE MOWING TIMES

Short charging and mowing times allow you to enjoy more leisure time on your lawn.

### PROGRAMMABLE MOWING TIMES

Mowing plan to match the lawn size.

### ZONE MANAGEMENT

If necessary you can divide your lawn into various zones, and these zones then be mown at different times.

### QUIET AND UNOBTRUSIVE

The mowing system of the iMOW® robotic lawn mower is optimised to reduce disruption, ensuring that the mower is quiet and unobtrusive when in use.

### ROBUST DESIGN

Our robotic mowers are made with 100% STIHL quality - for 100% reliability.

### EASY BLADE REPLACEMENT

Changing the blades is easy and can be done without tools.

### OVER-THE-AIR UPDATES

Access the latest functions and adjustments with regular updates.

### MODERN DESIGN

Making the mower an attractive sight in your garden.

### AMBIENT LIGHT

Individually adjustable LED strips.

### iMOW® ALARM

Protects your iMOW® - for example, by deterring would-be thieves from carrying off your robotic mower.

### ULTRASOUND SENSORS

Protect your mower as it negotiates obstacles.

### WIDE RANGE OF ACCESSORIES

Allow you to get the most out of your iMOW® robotic mower.

## EXCLUSIVELY WITH THE iMOW® EVO

### STEEP SLOPES

The iMOW® EVO can operate on inclines up to 45%. And with the optional iMOW® Upgrade Kit 10, it can even master slopes up to 55%.

### CONNECTIVITY - WIFI & BLUETOOTH® & MOBILE NETWORK

Facilitates flexible control of the iMOW® EVO robotic mower, even when you're not connected to your home wireless network.

### LED MATRIX

For communication that's even more user-friendly.



# iMOW® ACCESSORIES



**NEW**  
**iMOW® UPGRADE KIT 10**

IA01 007 4700

For iMow 5 EVO, 6 EVO, and 7 EVO  
Traction wheels for better all-terrain capability on uneven lawns and managing inclines up to 55%.



**NEW**  
**SUN CANOPY**

IA01 780 4300

For iMow 5, 5 EVO, 6 EVO, and 7 EVO  
Optional protection for your robotic mower against sunlight, dirt, and other weather effects.



**NEW**  
**iMOW® BASIC BLADES**

IA00 007 4201

For iMow 5, 5 EVO, 6 EVO, and 7 EVO  
Pack of 9 spare iMow blades. Blades can be replaced easily and without using tools.



**NEW**  
**WALL HOLDER**

IA00 500 2300

For iMow 5, 5 EVO, 6 EVO, and 7 EVO  
For convenient, compact storage of your robotic mower, docking station and charger. Delivery includes mounting material for securing the holder to the wall.





